PETTIT*

SAFETY DATA SHEET

1. Product Identification

Product name EZ-Tex Rapid Cure Part A

SDS Number 720010A

Product type Epoxy polymer mixture

Recommended use of the chemical and

restrictions on use

Restrictions None known.

Manufacturer/Supplier information

Company name Kop Coat Inc/Kop Coat Marine.

Address 36 Pine Street

Rockaway, NJ United States

Telephone 973-625-3100

Emergency Contact CHEMTREC (U.S. and CANADA) 1-800-424-9300

CHEMTREC (Outside the U.S.) 1-703-527-0585

2. Hazard(s) Identification

Classification of substance or WARNING

mixture/Signal Word Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2

Skin Sensitization - Category 1

Specific Target Organ Toxicity (Single Exposure) [Respiratory tract irritation] –

Category 3

GHS Label Elements
Hazard Pictograms



Hazard Statements/Classification of H315 Causes skin irritation.

substance or mixture H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

Precautionary statements

Precautionary Statements

Prevention P280 Wear protective gloves. Wear eye or face protection.

P201 Obtain special instructions before use.

P271 Use only outdoors or in a well-ventilated area.

P261 Avoid breathing vapor.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

Response P304 + 340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P313 Call a POISON CENTER or doctor/physician if you feel unwell. P302+352+363 IF ON SKIN: Wash with soap and water. Take off

contaminated clothing and wash before reuse.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

Storage P401 Store at room temperature in a well-ventilated area.

Disposal P501 Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Hazards not otherwise classified (HNOC) None Available.

3. Composition/Information On Ingredients

Chemical Name	CAS Number	Content (%)
Diglycidyl Ether of Bisphenol A	25068-38-6	70-80%
Diglycidyl Ether of Bisphenol F	28064-14-4	5-10%
Alkyl Glycidyl Ether	17557-23-2	5-10%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

Skin contact Wash with plenty of soap and water. Remove contaminated clothing and

shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure.

Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove contact lenses. Continue to rinse for at

least 10 minutes. Get medical attention.

Ingestion Wash out mouth with water. Remove dentures if any. Remove victim to fresh

air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting without medical advice. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain open airway. Loosed

tight clothing such as a collar, tie, belt, or waistband.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if

large quantities have been ingested or inhaled.

Specific treatments No specific treatment.

5. Fire-Fighting Measures

Suitable extinguishing media Alcohol-resistant foam.

Carbon dioxide (CO₂).

Dry chemical

Water Fog

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical In a fire or if heated, a pressure increase will occur and the container may

burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated must be contained and prevented from being discharged to any

waterway, sewer or drain.

Hazardous decomposition products Decomposition products may include the following materials:

Carbon dioxide Carbon monoxide

Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-

fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

Further information Do not allow run-off from firefighting to enter drains or water courses. Fire

residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

6. Accidental Release Measures

Personal precautionsNo action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Wear proper protective clothing,

gloves and eye/face protection.

Emergency procedures If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials.

Methods and materials for

containment/cleanup

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as

the spilled product.

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers. Inform the relevant authorities if the product has caused

environmental pollution (sewers, waterways, soil or air).

7. Handling and Storage

Precautions for safe handling Put on appropriate personal protective equipment. Persons with a history of

skin sensitization problems should not be employed in any process in which this product is used. Avoid contact with skin and eyes. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate

respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. When using, do not eat, drink or smoke. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Precautions/Recommendations for safe/proper storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure Controls/Personal Protection

Permissible exposure limit (OSHA) None established. Threshold limit value (ACGIH) None established.

Appropriate engineering controls Use only with adequate ventilation. If user operations generate dust, fumes,

gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below

any recommended or statutory limits.

Environmental exposure controls Use appropriate containment to avoid environmental contamination. Do not

allow spill to enter sewers or waterways.

Individual protection measures/Personal protective equipment

Eye/face protection

Splash-proof goggles or safety spectacles with side shields are recommended.

Always wear eye protection when sanding cured epoxy resins to avoid dust in

Hand protection Always wear impervious gloves: butyl rubber, nitrile rubber, Neoprene, PVC

disposable gloves,

Skin protection Wear clean, body-covering clothing to avoid skin contact.

Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards

of the product and the safe working limits of the selected respirator.

Special instructions for protection and

hygiene

Discard contaminated leather articles. Remove contaminated clothing. Wash at

the end of each work shift and before eating smoking or using the toilet. Provide readily accessible eye wash stations and safety showers.

9. Physical and Chemical Properties

Chemical family Epoxy Resin Appearance Black paste

Physical State Epoxy polymer mixture

Paste Form Color Black **Odor** Little or no odor

Density (Specific Gravity) 10.62 lb/gal (1.23)

Viscosity Data not available

pH N/A

Melting point/freezing point Data not available

Initial boiling point and boiling range N/A
Flash point N/A

Evaporation rate Slower than ether

Flammability (solid, gas)

Upper/lower flammability limit (by volume)

Upper flammability limit (by volume) Data not available

Lower flammability limit (by volume) Data not available

Material VOC 0 g/l

Vapor density Heavier than air
Relative density Not determined
Solubility in water Negligible

Partition coefficient: n-octanol/water Data not available

Auto-ignition temperature Data not available

Decomposition temperature N/A

10. Stability and Reactivity

Reactivity No specific test data related to reactivity available for this product or its

ingredients.

Chemical Stability Stable under normal conditions.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not

occur.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Reactive or incompatible with the following materials:

Strong oxidizing agents

Strong acids
Aliphatic amines

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Other hazards Reacts with considerable heat release with some curing agents.

11. Toxicological Information

Acute Health Hazard (components)

No comprehensive data is available on the product itself.

Component	Result	Species	Dose	Exposure
Diglycidyl Ether of Bisphenol A	LD50 Oral	Rat	11,400 mg/kg	-
	LD50 Dermal	Rat	2,000 mg/kg	-

Diglycidyl Ether of Bisphenol F	LD50 Oral	Rat	>2,000 mg/kg	-
	LD50 Dermal	Rat	>2,000 mg/kg	-
Alkyl Glycidyl Ether	LD50 Oral	Rat	4,500 mg/kg	-
	LD50 Dermal	Rat	>2,000 mg/kg	-

<u>Irritation/Corrosion (components)</u>

No information on product itself.

Component	Result	Species	Test	Exposure
Diglycidyl Ether of Bisphenol A	Moderate to severe irritation	Rabbit	Skin	4 h
	Mild irritation	Rabbit	Eye	24 h
Diglycidyl Ether of Bisphenol F	Mild irritant	Rabbit	Skin	-
	Mild irritant	Rabbit	Eye	-

SensitizationNo information on product itself.MutagenicityNo information on product itself.CarcinogenicityNo information on product itself.Reproductive ToxicityNo information on product itself.TeratogenicityNo information on product itself.Specific target organ toxicity (single exposure)No information on product itself.

Component	Category	Route of exposure	Target organs
Diglycidyl Ether of Bisphenol A	Category 3		Respiratory tract irritation
Diglycidyl Ether of Bisphenol F	Category 3		Respiratory tract irritation
Alkyl Glycidyl Ether	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

No information on product itself.

Aspiration hazard

No information on product itself.

Potential acute health effects

Eye ContactCauses serious eye irritation.InhalationMay cause respiratory irritation.

Skin Contact Causes skin irritation. May cause an allergic skin reaction.

Ingestion Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and

toxicological characteristics

Eye Contact Adverse symptoms may include the following:

Pain or irritation

Watering Redness

Inhalation Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin Contact Adverse symptoms may include the following:

Irritation Redness

Ingestion No specific data.

<u>Delayed and immediate effects and also chronic</u> <u>effects from short and long term exposure</u> Not available.

Potential chronic health effects

General Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates (ATEmix) Not available.

12. Ecological Information

Ecotoxicity

No information on product itself.

Component	Test	Species	Result	Exposure
Diglycidyl Ether of Bisphenol A	LC50	Fish	1.3 mg/l	96 h
	LC50	Daphnia	2.1 mg/l	48 h
Diglycidyl Ether of Bisphenol F	LC50	Fish	1.5 mg/l	96 h
	LC50	Daphnia	1.7 mg/l	48 h
	Chronic NOEC	Daphnia	0.3 mg/l	21 d

Persistence and degradability

No information on product itself.

Component	Test	Period	Result
Diglycidyl Ether of Bisphenol A	OECD 302B	28 d	12%
Diglycidyl Ether of Bisphenol F	OECD 301F Derived	28 d	5%

Bioaccumulative Potential

No information on product itself.

Component	LogPow	BCF	Potential
Diglycidyl Ether of Bisphenol A	2.64 – 3.78	3 – 31 31.00	low
Diglycidyl Ether of Bisphenol F	3	-	low
Alkyl glycidyl Ether	0.23	-	Low

Mobility in Soil

Soil/water partition coefficient (KOC) No information on product itself.

Other adverse effects No known significant effects or critical hazards.

13. Disposal Considerations

Waste from residues/ unused products

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is required.

Classes/*PG

Additional

14. Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

Proper Shipping Name

International Transport Regulations

UN/NA number

Regulatory

information	-		Information
DOT		Non-regulated	
TDG		Non-regulated	
IMO/IMDG	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorohydrin Resin)	Class 9 III
IATA (Cargo)	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorohydrin Resin)	Class 9 III
*PG: Packing grou	up		
Special precaution	ons for user:	Transport within user's premises: alwa are upright and secure. Ensure that pe	•

15. Regulatory Information

UNITED STATES

U.S. Federal Regulations	United States – TSCA 12(b) – Chemical export notification: None Required.
	United States – TSCA 5(a)2 – Final significant new use rules: Not Listed.
	United States – TSCA 5(a)2 – Proposed significant new use rules: Not Listed.
	United States – TSCA 5(e) – Substance consent order: Not listed.

what to do in the event of an accident or spillage.

California Prop. 65 WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient Name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Oxirane, 2-(phenoxymethyl)-	Yes	No	5 μg/day	No
Oxirane, 2-(chloromethyl)-	Yes	Yes	9 μg/day	No

EPA SARA 302 Extremely Hazardous

None required.

Substances

EPA SARA 302/304/311/312 Hazardous

Acute Health Hazard.

Chemicals

United States inventory (TSCA 8b) All components are listed or exempted.

CANADA

WHMIS (Canada) Class D-2B: Material causing other toxic effects (Toxic).

Canadian NPRI None Required **CEPA Toxic substances** None Required

INTERNATIONAL REGULATIONS

International Lists Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted. **Korea inventory:** All components are listed or exempted. **Japan inventory:** All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

New Zealand inventory (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted.

16. Other Information, Including Date of Preparation or Last Revision

HMIS Rating



Date of Preparation March 15, 2022

Date of Last Revision

Revision # 1.0

Prepared by EHS/Regulatory

The information contained herein is based on the data available to us and is believed to be correct. However, Kop Coat Inc./ Kop Coat Marine makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. Kop Coat Inc./Kop Coat Marine assumes no responsibility for injury from the use of the product described herein.