

Safety Data Sheet

Revision Number 4

Printing Date 07/15/2021 Revision Date 07/15/2021

1 Identification

- · Product identifier
- · Trade name: Dolfinite Bedding Compound
- · Article number: 742005108
- · Relevant identified uses of the substance or mixture. Bedding Compound
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kop-Coat, Inc. / Pettit Marine Paint Marine Group

36 Pine Street Rockaway, NJ

Information Phone Number: 1800-221-4466

· Emergency telephone number:

ChemTrec: USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



 $GHS02\ Flame$

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

STOT RE 1 H372-H373 Causes damage to organs through prolonged or repeated exposure. May cause

damage to the central nervous system through prolonged or repeated exposure.



Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

· Hazard pictograms







GHS07

· Signal word Danger

· Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure. May cause damage to the central nervous system through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

Fire = 2

PHYSICAL HAZARD $\boxed{0}$ Physical Hazard = 0

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture

· Hazardous	components:	
68152-81-8	Special T-Blown Z2-Z4 Soybean oil	5-20%
68201-51-4	Blown Menhaden Fish Oil Z3	5-20%
64742-95-6	Solvent naphtha (petroleum), light arom.	2.5-10%
95-63-6	1,2,4-trimethylbenzene	≤2.5%
8052-41-3	Stoddard solvent (mineral spirits)	≤2.5%
1330-20-7		≤ 0.5%
96-29-7	2-butanone oxime	≤ 0.5%

· Additional information:

All concentrations are in percent by weight unless the ingredient is a gas. Gas concentrations are in percent by volume. Any pigments or fillers in this product which may be considered "Hazardous" are potentially hazardous only if inhaled as an airborne dust. Exposure by these ingredients as used in sealants, putties, bedding compounds and non-sprayable products is highly unlikely. For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Overexposure, remove to fresh air and seek medical attention.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

ΙΙSΔ

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

(Contd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

<i>PAC-1</i> :		
95-63-6	1,2,4-trimethylbenzene	140 ppm
8052-41-3	Stoddard solvent (mineral spirits)	300 mg/m^3
1330-20-7	xylene	130 ppm
96-29-7	2-butanone oxime	30 ppm
PAC-2:		
95-63-6	1,2,4-trimethylbenzene	360 ppm
8052-41-3	Stoddard solvent (mineral spirits)	1,800 mg/m
1330-20-7	xylene	920* ppm
96-29-7	2-butanone oxime	56 ppm
· <i>PAC-3:</i>		
95-63-6	1,2,4-trimethylbenzene	480 ppm
8052-41-3	Stoddard solvent (mineral spirits)	29500** mg/m-
1330-20-7	xylene	2500* ppm
96-29-7	2-butanone oxime	250 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Keep respiratory protective device available.

(Contd. on page 5)

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

(Contd. of page 4)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

95-63-	6 1,2,4-trimethylbenzene
REL	Long-term value: 125 mg/m³, 25 ppm
TLV	Long-term value: 123 mg/m³, 25 ppm
8052-4	11-3 Stoddard solvent (mineral spirits)
PEL	Long-term value: 2900 mg/m³, 500 ppm
REL	Long-term value: 350 mg/m ³
	Ceiling limit value: 1800* mg/m³
	*15-min
TLV	Long-term value: 525 mg/m³, 100 ppm
1330-2	20-7 xylene
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 655 mg/m³, 150 ppm
	Long-term value: 435 mg/m³, 100 ppm
TLV	Short-term value: 651 mg/m³, 150 ppm
	Long-term value: 434 mg/m³, 100 ppm
	BEI
96-29-	7 2-butanone oxime
WEEL	Long-term value: 10 ppm
	DSEN
Ingred	lients with biological limit values:
Ü	20-7 xylene

1330-20-7 xylene

BEI 1.5 g/g creatinine

Medium: urine Time: end of shift

Parameter: Methylhippuric acids

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

(Contd. of page 5)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses with side shields.



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Flammability (solid, gaseous):

· Decomposition temperature:

 $\cdot Appearance:$

Form:	Liquid	
Color:	Natural	
· Odor:	Solvent-like	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point:	Undetermined.	
Boiling point:	159 °C (318.2 °F)	
· Flash point:	41 °C (105.8 °F)	

Not determined.

Flammable.

(Contd. on page 7)

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

	(Contd. of pag
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Flammable limits:	
Lower:	1.4% by volume
Upper:	12.3% by volume
· Vapor pressure:	Not determined.
· Specific gravity at 20 °C (68 °F):	1.4 g/cm³ (11.683 lbs/gal)
· Relative density	Not determined.
· Vapor density	Heavier than air.
· Evaporation rate	Slower than ether
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	$Lbs\ VOC/Gallon = 1.03$

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 1	values that	t are relevant for classification:
64742-95-0	6 Solvent n	naphtha (petroleum), light arom.
Oral	LD50	>6800 mg/kg (rat)
Dermal	LD50	>3400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)
95-63-6 1,2	2,4-trimeth	nylbenzene
Oral	LD50	5000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: Skin Contact Sensitization possible through skin contact.

(Contd. on page 8)

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

(Contd. of page 7)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
	polyethylene	3
14808-60-7	non-respirable quartz	1
1330-20-7	xylene	3
· NTP (Nation	nal Toxicology Program)	
14808-60-7	non-respirable quartz	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · **DOT, IMDG, IATA** UN1133

(Contd. on page 9)

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

(Contd. of page 8) · UN proper shipping name $\cdot DOT$ Adhesives · IMDG, IATA **ADHESIVES** · Transport hazard class(es) $\cdot DOT$ 3 Flammable liquids · Class · Label · IMDG, IATA · Class 3 Flammable liquids · Label · Packing group · DOT, IMDG, IATA III· Environmental hazards: Not applicable. Warning: Flammable liquids · Special precautions for user · Danger code (Kemler): 30 · EMS Number: F-E,S-D· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": UN1133, Adhesives, 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

95-63-6 1,2,4-trimethylbenzene

1330-20-7 xylene

· TSCA (Toxic Substances Control Act):

14807-96-6 Talc (3MgO•4SiO2•H2O)

68152-81-8 Special T-Blown Z2-Z4 Soybean oil

68201-51-4 Blown Menhaden Fish Oil Z3

64742-95-6 Solvent naphtha (petroleum), light arom.

1318-59-8 Chlorite Group Minerals

(Contd. on page 10)

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

	(Contd. of pag
95-63-6	1,2,4-trimethylbenzene
	polyethylene
8052-41-3	Stoddard solvent (mineral spirits)
	Distillates (petroleum), hydrotreated heavy paraffinic
	non-respirable quartz
1330-20-7	
96-29-7	7 2-butanone oxime
· TSCA new	(21st Century Act) (Substances not listed)
	Blown Menhaden Fish Oil Z3
· Proposition	
-	known to cause cancer:
	non-respirable quartz
	known to cause reproductive toxicity for females:
	e ingredients is listed.
	<u> </u>
	known to cause reproductive toxicity for males:
	e ingredients is listed.
	known to cause developmental toxicity:
	e ingredients is listed. ada Dosmestic Substance List
requiremen · New Jersey	orts. The Right-to-Know List:
95-63-6	1,2,4-trimethylbenzene
8052-41-3	Stoddard solvent (mineral spirits)
8052-41-3 1330-20-7	Stoddard solvent (mineral spirits)
1330-20-7	Stoddard solvent (mineral spirits) xylene
1330-20-7	Stoddard solvent (mineral spirits) xylene v Special Hazardous Substance List:
1330-20-7 · New Jersey 1330-20-7	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene
1330-20-7 · New Jersey 1330-20-7 · Pennsylvar	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene Ina Right-to-Know List:
1330-20-7 • New Jersey 1330-20-7 • Pennsylvan 95-63-6	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene nia Right-to-Know List: 1,2,4-trimethylbenzene
1330-20-7 • New Jersey 1330-20-7 • Pennsylvar 95-63-6 8052-41-3	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene Inia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits)
1330-20-7 • New Jersey 1330-20-7 • Pennsylvar 95-63-6 8052-41-3 1330-20-7	Stoddard solvent (mineral spirits) xylene xylene xylene Inia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene
1330-20-7 • New Jersey 1330-20-7 • Pennsylvan 95-63-6 8052-41-3 1330-20-7 • Pennsylvan	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene Inia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene inia Special Hazardous Substance List:
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene nia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene nia Special Hazardous Substance List: 1,2,4-trimethylbenzene
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene nia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene nia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene xylene
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7 Canceroge	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene nia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene nia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene inity categories
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7 Canceroge EPA (Envi.	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene nia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene nia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene nity categories ronmental Protection Agency)
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7 Canceroge EPA (Envi.	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene Inia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene nia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene nity categories ronmental Protection Agency) 1,2,4-trimethylbenzene
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7 Canceroge EPA (Envi.	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene Inia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene nia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene nity categories ronmental Protection Agency) 1,2,4-trimethylbenzene
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7 Canceroge • EPA (Envi. 95-63-6 1330-20-7	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene Inia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene nia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene nity categories ronmental Protection Agency) 1,2,4-trimethylbenzene
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7 Canceroge EPA (Envi. 95-63-6 1330-20-7 TLV (Thre. 14807-96-6	Stoddard solvent (mineral spirits) xylene Special Hazardous Substance List: xylene Inia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene tia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene tia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene Inity categories ronmental Protection Agency) 1,2,4-trimethylbenzene xylene shold Limit Value established by ACGIH) Intal (3MgO·4SiO2·H2O) Intal (3MgO·4SiO2·H2O)
1330-20-7 New Jersey 1330-20-7 Pennsylvan 95-63-6 8052-41-3 1330-20-7 Pennsylvan 95-63-6 1330-20-7 Canceroge EPA (Envi. 95-63-6 1330-20-7 TLV (Thre. 14807-96-6	Stoddard solvent (mineral spirits) xylene Dia Right-to-Know List: 1,2,4-trimethylbenzene Stoddard solvent (mineral spirits) xylene mia Special Hazardous Substance List: 1,2,4-trimethylbenzene mia Special Hazardous Substance List: 1,2,4-trimethylbenzene xylene mity categories ronmental Protection Agency) 1,2,4-trimethylbenzene xylene shold Limit Value established by ACGIH) Talc (3MgO*4SiO2*H2O) 7 non-respirable quartz

Printing Date 07/15/2021 Revision Number 4 Revision Date 07/15/2021

Trade name: Dolfinite Bedding Compound

(Contd. of page 10) · MAK (German Maximum Workplace Concentration) 14807-96-6 Talc (3MgO•4SiO2•H2O) 3B 14808-60-7 non-respirable quartz 96-29-7 2-butanone oxime 2 · NIOSH-Ca (National Institute for Occupational Safety and Health) 14808-60-7 non-respirable quartz

- · National regulations:
- · Information about limitation of use: Use by properly trained workers recommended.
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Kop-Coat Inc./Pettit Marine Paint Marine Group makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Kop-Coat Inc./Pettit Marine Paint Marine Group or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Creation Date: 10/11/2011
- · Date of preparation / last revision 07/15/2021 / 4
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 1B: Germ cell mutagenicity - Category 1B

Carc. 1B: Carcinogenicity - Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1