

SUPERIOR MARINE GRADE FINISHING PRODUCTS









PETTIT*



ANTIFOULING PAINT

EASY CLEANUP

MULTI-SEASONAL

REDUCES PAINT BUILDUP THROUGH

CONTROLLED EROSION

EXCELLENT FOR FIBERGLASS, WOOD & STEEL BOATS

ANTIFOULING BOTTOM PAINT PRODUCT AND COLOR GUIDE

800-221-4466

WWW.PETTITPAINT.COM

HULL DEFENSE® LIMITED WARRANTY



PEACE OF MIND PROTECTION

When your bottom paint fouls prematurely and hinders performance, you could spend thousands of dollars in a short haul and fresh bottom paint. Not with Pettit Paint.

Pettit's Trinidad and Odyssey products provide exceptional antifouling protection backed by the industry's leading limited warranty.

Pettit's **HD** (**HULL DEFENSE**) **LIMITED WARRANTY** provides peace of mind protection for 18 or 24 months. If the bottom paint loses its effectiveness within the warranty time frame, you will be covered by Pettit's HD Limited Warranty.

For more information, visit:

www.pettitpaint.com/HD

Look for the HD Shield at the top left corner of a product!











INDUSTRY'S LEADING LIMITED WARRANTY

TRINIDAD® HARD ANTIFOULING



TRINIDAD® XSR provides extreme antifouling protection in all waters and for every substrate. Trinidad XSR features a triple biocide package that prevents all growth at dock or underway and is safe on aluminum and all underwater metals. Trinidad XSR cures to a hard, durable finish that offers multi-season protection.

BLUE - 1290 GREEN - 1390 RED - 1690 BLACK - 1890



TRINIDAD® PRO is the standard by which all bottom paints are measured. It remains the longest lasting, strongest antifouling paint available. Trinidad PRO provides unprecedented resistance to all fouling. Its hard, protective coating has excellent adhesion and withstands the toughest abuse. Left in the water, it will provide years of dependable service.

BLUE - 1082FD GREEN - 1083FD RED - 1086FD BLACK - 1088FD



TRINIDAD® 75 is one of the most respected names in the industry. Harnessing the power of an extremely high load of cuprous oxide to combat even the most extreme fouling conditions, Trinidad 75's durable, hard epoxy finish has excellent adhesion and, when left in the water, will provide years of dependable service. The antifoulant of choice for professional applicators everywhere.


BLUE - 1074FD GREEN - 1073FD RED - 1076FD SPECIAL BLACK - 1079FD



TRINIDAD® HD provides excellent, long lasting protection, even under the toughest fouling conditions while meeting the 330 gram per liter VOC regulations. With excellent adhesion and high abrasion resistance, Trinidad HD works equally as well at the dock or underway, and is a good choice for powerboat or sailboat use in tropical and other warm waters where harsh fouling exists.

BLUE - 1271 GREEN - 1371 RED - 1671 BLACK - 1871

ODYSSEY® ABLATIVE ANTIFOULING



Note: All swatch colors shown in this brochure are approximations of the actual paint color in the can.

BLACK - 1807

RED - 1607

HRT® - HYBRID REACTIVE TECHNOLOGY




PREMIUM HRT® multi-season high copper antifouling uses the latest technology available to create a hybrid paint film strong enough to handle the tough marine environment without building up over time. Equally effective on both power and sailboats, Premium HRT provides excellent protection without the costs associated with high-end antifoulants. Its ease of use, impressive coverage, and attractive price tag make it an excellent choice for use as a boatyard's "house paint."





ECO HRT® is a copper-free antifouling that uses the latest technology available to create a hybrid paint film strong enough to handle the tough marine environment without building up over time. ECO HRT's smooth, durable paint surface wears away over time, eliminating paint film build-up and the need for sanding. Its copper-free formula is safe to apply to aluminum-hulled boats. It provides excellent antifouling protection and can be hauled and relaunched without loss of effectiveness.





NEPTUNE HRT® water-based antifouling uses the latest technology available to create a hybrid paint film strong enough to handle the tough marine environment. Soap and water clean-up, along with no strong solvent smell, yields a user-friendly application. Neptune HRT does not require sanding between coats, saving time and money. With low VOC it's ideal for marinas under restrictions. Neptune HRT can be used over all previously painted surfaces.





UNEPOXY HRT® seasonal antifouling uses the latest technology available to create a hybrid paint film strong enough to handle the tough marine environment without building up over time. It is a dependable antifouling paint formulated to provide outstanding protection at a very affordable price. Its smooth, durable finish is able to withstand beaching, trailering, and season-long abuse.



HYDROCOAT® TECHNOLOGY ANTIFOULING



HYDROCOAT® offers excellent multi-season protection against all types of fouling. Its innovative technology replaces the harsh solvents found in most bottom paints with water, resulting in an easier application and clean-up with no heavy solvent smell. Hydrocoat's ablative surface wears away with use, exposing fresh biocide while eliminating paint build-up and the need for sanding. Its unlimited dry time to launch allows for painting in the fall.





HYDROCOAT® ECO is a self-polishing, water-based ablative technology with organic ECONEA® biocide. Utilizing the highest level of metal-free ECONEA biocide available, combined with a slime fighting inhibitor for unprecedented multi-season protection, this copper-free formula is compatible over almost all bottom paints and is safe for use on all substrates including steel and aluminum.



ANTIFOULING SPEED COATINGS



BLACK WIDOW® is the slickest, fastest, ultra-smooth burnish-able racing finish available. Black Widow is easily burnish-able to a metallic "gun metal" shine. Black Widow makes an excellent paint for the bottom of any boat where speed is the number one priority, including racing sailboats and high performance offshore powerboats.

Black Widow contains four strong slickening agents: Molybdenum Disulfide, PTFE, Graphite and Silicon.

DARK BLUE - 1269 BLACK - 1869

Note: All swatch colors shown in this brochure are approximations of the actual paint color in the can.

ANTIFOULING SPEED COATINGS



VIVID® offers the brightest colors, the blackest black, and the whitest white available. Hybrid technology incorporates all the benefits of ablative and hard paints in one. Its hard, smooth surface withstands trailering and is easily burnished to a high performance racing finish. Vivid resists build-up and can be hauled and relaunched without repainting. Safe for use on properly primed aluminum. When you choose a clean, bright Vivid color, you get a powerful antifouling that is, simply, as effective as it is beautiful.

Note: All swatch colors shown in this brochure are approximations of the actual paint color in the can. **VIVID BASE COLORS YELLOW - 1461 WHITE - 1161 BLUE - 1261** RED - 1661 **BLACK - 1861 GREEN - 1361 VIVID MIXED COLORS** 1 WHITE: 1 YELLOW 4 WHITE: 1 YELLOW 4 YELLOW: 1 WHITE 1 RED: 1 YELLOW 4 YELLOW: 1 RED 1 RED: 1 WHITE 1 RED: 4 WHITE 4 YELLOW: 1 BLUE 1 YELLOW: 1 BLUE 4 BLUE: 1 YELLOW 4 GREEN: 1 YELLOW 1 GREEN: 1 WHITE 1 BLUE : 4 WHITE 4 BLUE : 1 RED 1 BLUE : 1 RED 1 BLUE: 4 RED 4 WHITE: 1 BLACK 1 BLACK: 1 WHITE

EPOXY PRIMER BARRIER COAT



PETTIT PROTECT® is a heavy duty, two component epoxy coating for use where maximum resistance to fresh or salt water is required. It reduces water absorption making it an excellent choice for osmotic blister prevention and repair. Its high-solids formula allows for quicker and easier application with fewer coats necessary for effective protection. It also offers dependable corrosion protection on all underwater metals.



- ✓ Faster and easier application
- ✓ Comprehensive gelcoat blister repair/prevention
- ✓ Covers in 2 coats vs. the competition's 5-6 coats
- Exclusive low-VOC formula developed

WHAT MAKES **PETTIT PROTECT** DIFFERENT?

Pettit Protect uses significantly more of the waterproofing agent MICA. MICA, at the highest concentration possible, provides excellent protection from water intrusion.

HIGH CONCENTRATION OF MICA ✓ IMPENETRABLE PROTECTION

FIBERGLASS -

PETTIT PROTECT 2 LAYERS OF HIGH CONCENTRATION



LOW CONCENTRATION OF MICA

X WATER CAN PERMEATE THE LAYERS MORE EASILY

FIBERGLASS

COMPETITOR 4 LAYERS OF LOW CONCENTRATION MICA



BLACK - 1870

UNDERWATER METAL PROTECTION



RUNNING GEAR GUARDIAN™ is designed to prevent fouling on all underwater metal running gear such as propellers, trim tabs, propeller shafts and rudder, prop struts, sail drives, strainers, bow and stern thrusters, and other underwater metal or running gear by providing incredibly effective and long-lasting protection. Even low levels of fouling on running surfaces can cause efficiency losses up to 20% for any boat.



PROP COAT BARNACLE BARRIER® 1792 provides protection for bare metals including steel, stainless steel, cast iron, copper, bronze, galvanized steel, and lead. It forms an excellent bond to underwater metals and running gear, and inhibits corrosion on these surfaces. Prop Coat Barnacle Barrier's smooth, hard surface will self-clean in service and can be used above or below the waterline. The dried film of Prop Coat contains the highest percentage of pure Zinc.

PETTIT BOTTOM PAINT COMPATIBILITY CHART

		EXISTING BOTTOM PAINT				
		HARD ANTIFOULING	DURABLE ABLATIVE	SOFT ABLATIVE	MODIFIED ANTIFOULING	FRESHWATER ANTIFOULING
		Baltoplate Sharkskin Black Widow® Talon Bottomkote Aqua Bottom Pro Gold! Tropikote BottomShield Ultra Defense Ultra-Kote Vivid® Unepoxy (All) Epoxy Cop VC Offshore	Cukote Hydrocoat® (All) Horizons Micron® CSC Micron® Extra Micron® Optima Neptune 5 PCA Gold! Trilux 33 Ultima® SR-40 Ultima® SR-60	Ablative Plus AF-33 ACT Aqua-One Bottomkote NT CPP Micron® CF Micron® Extra Micron® Optima Micron® WA Monterey Pacifica Plus™ Proguard Ablative Smart Solution™ Super B Ablative Ultima® Eco Armor	Biocop TF* Ultima® SSA Bottomkote Pro Islands 44 TF* Micron® 99* Tropikote EX* Micron® 66* Island 44 Plus* Seamate Biotin Plus*	FW 21 VC 17 SR 21 VMG
NEW BOTTOM PAINT	Black Widow® Trinidad® (All) Vivid®	SAND & APPLY	HEAVY SAND & APPLY	REMOVE	REMOVE	REMOVE
	ECO HRT® Premium HRT® Unepoxy HRT®	SAND & APPLY	LIGHT SAND & APPLY	LIGHT SAND & APPLY	SAND & APPLY	REMOVE
	Odyssey® HD Odyssey® 60 Odyssey® Triton	SAND & APPLY	LIGHT SAND & APPLY	SAND & APPLY	HEAVY SAND & APPLY	REMOVE
	Hydrocoat® Hydrocoat® ECO Neptune HRT®	LIGHT SAND & APPLY	POWER WASH & APPLY	LIGHT SAND & APPLY	SAND & APPLY	SAND & APPLY

^{*}Tin copolymer paints and modified antifouling paints (SPC technology) should be sealed with a coat of 6627 Tie Coat Primer. Allow to dry 4 hours and apply new antifouling paint.

This chart is intended as a guide only. Additional preparation may be involved due to condition and age of the substrate.

For additional paints and other preparation information, contact us at 800-221-4466 or www.pettitpaint.com