

1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE PRIMER

Safety Data Sheet dated 6/8/2023, version 3

ECTIO	ON 1: Identification of the substance/mixture and of the company/undertaking
1.	1. Product identifier
	Mixture identification:
	Trade name : IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE PRIMER
	Trade code : 1756008
1.	2. Relevant identified uses of the substance or mixture and uses advised against
	roduct type and use: Painting product for car refinish and industrial job-professional use-
	3. Details of the supplier of the safety data sheet
	Supplier:
	Modern Recreational Technologies, Inc.
	2220 Highway 70 SE., Suite 100 Hickory, NC 28602
	800-728-8258
1.	4. Emergency telephone number
	Chemtrec: +1-800-424-9300 USA
	Chemtrec: +1 703-527-3887 ex-USA
	24 hrs./day, 7 days/week
	ON 2: Hazards identification
-	1. Classification of the substance or mixture
	C regulation criteria 1272/2008 (CLP):
_	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
A	dverse physicochemical, human health and environmental effects:
	No other hazards
2	2. Label elements
Т	he product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Н	azard pictograms:
	None
Н	azard statements:
	None
Р	recautionary statements:
	None
S	pecial Provisions:
	EUH210 Safety data sheet available on request.
С	ontains
-	TENSIOATTIVO : May produce an allergic reaction.
S	pecial provisions according to Annex XVII of REACH and subsequent amendments: None
2	3. Other hazards
	No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%
0	ther Hazards:
	No other hazards
ECTI	ON 3: Composition/information on ingredients
	1. Substances
3.	
	N.A. 2. Mixtures

1756008/3

Page n. 1 of 8



1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE PRIMER

Qty	Name	ldent. Number		Classification
>=0,5% - < 1%	TENSIOATTIVO	CAS: EC: REACH No.:	204-809-1	4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and sop.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

- Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed No data available
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:
 - None

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons: None in particular. 5.2. Special hazards arising from the substance or mixture
- 5.2. Special nazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible
 - authorities.

1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.

6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene:
 - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.
- 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available **DNEL Exposure Limit Values** N.Á. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	WHITE		
Odour:	CHARACTER ISTIC		

1756008/3 Page n. 3 of 8

1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE

Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	> 35 gradi C.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	> 60		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	8.5		
Kinematic viscosity:	> 20,5 mm2/ sec (40 °C)		
Solubility in water:	Soluble		
Solubility in oil:	N.A.		
Partition coefficient n- octanol/water (log value):	N.A.		
Vapour pressure:	N.D.		
Density and/or relative density:	1.27 Kg/L		
Relative vapour density:	>Air		
Particle characteristics:			
Particle size:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes:
Explosive properties:	N.A.		
Solids	58.8		
% Volatile carbon:	0.3		
% Solvent	1.2		
Oxidizing properties:	N.D.		

Safety Data Sheet REGULATORY REACH 1907/2006, ANNEX II AS AMENDED BY REGULATORY 878/2020 1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid Stable under normal conditions.)
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Toxicological information of the product:
 - N.Ă.

Toxicological information of the main substances found in the product:

N.Ā.

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.
- 11.2. Information on other hazards
 Endocrine disrupting properties:
 No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt sound working practices, so that the product is not released into the environment. N.A.
- 12.2. Persistence and degradability None

N.A.

- 12.3. Bioaccumulative potential
- N.A.

12.4. Mobility in soil N.A.

- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None

1756008/3

Page n. 5 of 8

Safety Data Sheet REGULATORY REACH 1907/2006, ANNEX II AS AMENDED BY REGULATORY 878/2020 1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name
- N.A.
- 14.3. Transport hazard class(es) N.A.

14.4. Packing group

- ____N.A.
- 14.5. Environmental hazards ADR-Enviromental Pollutant: NO IMDG-Marine pollutant: NO 14.6. Special precautions for user
 - N.A.
- 14.7. Maritime transport in bulk according to IMO instruments N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications: 878/2020 Restrictions related to the product:

1756008/3 Page n. 6 of 8

1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE

No restriction. Restrictions related to the substances contained: Restriction 40 Restriction 75 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Text of phrases referred to under heading 3:

H412 Harmful to aquatic life with long lasting effects. H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Hazard class and hazard category	Code	Description
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

NIOŠH - Registry of toxic effects of chemical substances (1983)

I.N.R.S. - Fiche Toxicologique

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of

1756008/3 Page n. 7 of 8

1756008 IKONIKOLOR PRO 756 EXPRESS 1K WATER-BASED WHITE

	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.