SAFETY DATA SHEET



Revision Date 19-Dec-2016

Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 3122 E Cabin Coat - Off-White

Product code 1312200

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Paint

Restrictions on use No information available

1.3 Details of the supplier of the safety data sheet

Supplier Kop-Coat, Inc. / Pettit Marine Paint

Marine Group 36 Pine Street Rockaway, NJ 07866 1-800-221-4466

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2B |
| Carcinogenicity | Category 2 |

2.2 Label elements

Signal Word

Warning

Hazard Statements

Causes skin irritation
Causes eye irritation
Suspected of causing cancer



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance

This product is a mixture. Health hazard information is based on its components. Not applicable **Mixture**

| Chemical Name | CAS-No | Weight % |
|-------------------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 10 - 20 |
| Calcium carbonate (Limestone) | 1317-65-3 | 5 - 10 |
| Zinc oxide | 1314-13-2 | 1 - 5 |

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice Show this safety data sheet to the doctor in attendance. When symptoms persist or in all

cases of doubt seek medical advice.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Call a physician or poison control center

immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. Call a poison control center or doctor for treatment advice. Wash

contaminated clothing before reuse.

Inhalation Move victim to fresh air. Apply artificial respiration if victim is not breathing. Call a physician

or poison control center immediately.

Ingestion If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.

Gently wipe or rinse the inside of the mouth with water. Never give anything by mouth to an

unconscious person. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician There is no specific antidote for effects from overexposure to this material. Treat

symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical. Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

Unsuitable Extinguishing Media None known based on information supplied.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Combustion Products Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

Evacuate personnel to safe areas. Move non-burning material, as feasible, to a safe location as soon as possible. As in any fire, wear self-contained breathing apparatus and full protective gear. Thoroughly decontaminate all protective equipment after use. Use water spray to cool fire-exposed containers.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment. Stop leak if you can do it without risk. Refer to protective measures listed in sections 7 and 8. Avoid exceeding of the given occupational exposure limits (see section 8). Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

Clean contaminated surface thoroughly.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Handle in

accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Use according to package label instructions. Empty containers may retain product

residue or vapor.

Hygiene measuresDo not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice. Wash hands before breaks and immediately after

handling the product. Remove and wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled

containers. Keep away from food, drink and animal feedingstuffs. Keep from freezing.

Materials to Avoid No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | British Columbia | Alberta | Quebec | Ontario TWAEV |
|-------------------|----------------------------|---------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 13463-67-7 | | total dust | TWA: 3 mg/m ³ | | | |
| Calcium carbonate | - | TWA: 15 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | |
| (Limestone) | | total dust | TWA: 3 mg/m ³ | | _ | |
| 1317-65-3 | | TWA: 5 mg/m ³ | STEL: 20 mg/m ³ | | | |
| | | respirable fraction | | | | |
| Zinc oxide | STEL: 10 mg/m ³ | TWA: 5 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 10 mg/m ³ | TWA: 2 mg/m ³ |
| 1314-13-2 | respirable fraction | fume | STEL: 10 mg/m ³ | STEL: 10 mg/m ³ | TWA: 5 mg/m ³ | STEL: 10 mg/m ³ |
| | TWA: 2 mg/m ³ | TWA: 15 mg/m ³ | | | STEL: 10 mg/m ³ | |
| | respirable fraction | total dust | | | | |
| | | TWA: 5 mg/m ³ | | | | |
| | | respirable fraction | | | | |

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable

this should be achieved by the use of local exhaust ventilation and good general extraction.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Wear protective gloves/ protective clothing. Remove and wash contaminated clothing

19-Dec-2016 - 1312200 - 1 - AGHS - English - Page 4/9

before re-use.

respiratory protection should be worn.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Color White

Odor Slight ammonia Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH 9.0-9.5

Melting/freezing pointNo information availableBoiling point/boiling rangeNo information available

Flash Point > 94 °C / > 201 °F

Evaporation rate

No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air
upper flammability limit
No information available
lower flammability limit
No information available

Iower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 1.275

Water solubility

Solubility in other solvents

Partition coefficient

Autoignition temperature

No information available
No information available
No information available
No information available

Decomposition temperatureNo information availableViscosity, kinematicNo information available

Viscosity, dynamic

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) 119 g/L content
Density 10.61

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

No information available.

19-Dec-2016 - 1312200 - 1 - AGHS - English -

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

LC50 (Dust/Mist) 228.30 mg/l

Numerical measures of toxicity: Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------------------|-------------------|-------------|-----------------|
| Titanium dioxide 13463-67-7 | 10000 mg/kg (Rat) | - | - |
| Zinc oxide 1314-13-2 | 5000 mg/kg (Rat) | - | - |

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

No information available

Component Information

· No information available

Serious eye damage/eye irritation

Product Information

• No information available

Component Information

No information available

Respiratory or skin sensitization

Product Information

· No information available

Component Information

• No information available

Germ cell mutagenicity

Product Information

· No information available

Component Information

· No information available

Carcinogenicity

Product Information

- The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information
- · Contains a known or suspected carcinogen

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------|-------|----------|-----|------|
| Titanium dioxide | - | Group 2B | - | |

| 13463-67-7 | | |
|------------|--|--|

Reproductive toxicity

Product Information

- No information available
- Component Information
- No information available

STOT - single exposure

No information available

STOT - repeated exposure

· No information available

Other adverse effects

Product Information

- No information available
- Component Information
- No information available

Aspiration hazard

Product Information

- No information available
- Component Information
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

1.00052 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA Complies
DSL Complies
EINECS/ELINCS ENCS IECSC -

KECL - PICCS - AICS - NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | SARA 313 - Threshold Values % |
|---------------|-------------------------------|
| Zinc oxide | 1.0 |
| 1314-13-2 | |

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

| Chemical Name | California Prop. 65 |
|--|---------------------|
| Titanium dioxide - 13463-67-7 | Carcinogen |
| Carbon black - 1333-86-4 | Carcinogen |
| Crystalline silica (quartz) - 14808-60-7 | Carcinogen |
| Ethylene oxide - 75-21-8 | Carcinogen |
| | Developmental |
| | Female Reproductive |
| | Male Reproductive |
| Diethanolamine - 111-42-2 | Carcinogen |

| Aluminium magnesium silicate - 12174-11-7 | Carcinogen |
|---|------------|
| 1,4-DIOXANE - 123-91-1 | Carcinogen |

16. Other information

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and chemical

hazards -

Health Hazard 2* Flammability 1 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)
EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date

19-Dec-2016

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet